





Quality & Service is Our Passion



PRODUCT
CATALOGUE

THE PROFESSIONAL AUTOMOBILE HAND TOOLS Co.



Waryana Industrial Complex Kapurthala Road,
Jalandhar (Punjab) India 144021



+91-98148 34875



amit@euroforge.co.in
amitgoswami576@gmail.com
skype-amitgoswami2



www.euroforge.co.in

ABOUT US _____ 02

FACTORY UNITS | INFRASTRUCTURE AND MACHINERY

PARTICIPATION IN INTERNATIONAL EVENTS | TRAINING & TESTING LAB

WRENCHES _____ 09

HEAVY DUTY WHEEL NUT WRENCHES

SPANNERS _____ 11

TOMMY BAR | SINGLE END WHEEL SPANNER | T-HANDLE SPANNER

CROSS WHEEL WRENCHES _____ 12-13-14

CROSS WHEEL/LUG WRENCH | JUMBO CROSS WHEEL SPANNER

ANGLE SOCKET WRENCHES _____ 15-16-17

ELBOW MILLED WRENCH | WITH HOLE WRENCH

L SHAPE WRENCHES _____ 18-19

L SHAPE SPANNER | L SHAPE SPANNER (DUAL SIDE) (CONNECTING)

SOLID TUBULAR BOX SPANNERS _____ 20-21

SOLID TUBULAR SPANNER

TUBULAR BOX SPANNERS _____ 22-23

TUBULAR BOX SPANNER

SPARK SPANNER SPARK PLUG _____ 24-25

SPARK PLUG SPANNER | SPARK PLUG WITH SWIVEL HANDLE

HEAVY DUTY TUBULAR BOX SPANNER _____ 26

L-HANDLE | SLIDING BAR _____ 27

SLIDING T-BAR DUAL TYPE

EXTENSION BAR | SOCKET WITH HOLE _____ 28

SOCKET WITH SQUARE DRIVE | SOCKET ADOPTER _____ 29

TYRE LEVER | TELESCOPIC L SHAPED WRENCHES _____ 30

SPRING PULLER _____ 31

GREASE GUN _____ 32

PUMP OILER-PERFETTO TYPE , PUMP OILER-RIGID TYPE

SUCTION GUN | OIL FILTER WRENCHES _____ 33

BABY VICE CLAMP | JACK PLANE | BLOCK PLANE _____ 34

WATER PUMP PLIER | TOP CUTTER | BEARING PULLER _____ 35

TIN CUTTER | PISTON RING COMPRESSOR _____ 36

5 PCS. SHOWER WRENCH SET

CONTENT

ABOUT US

M/S EURO FORGE was established in 2007 and is part of M/S AJAY Group of Companies. The company is located at Jalandhar which is one of the biggest industrial city in the North of India.

EURO FORGE meets the need of its customers in way that are safe , reliable and environment friendly . The manufacturing area is equipped with modern Infrastructure and facilities . We are manufacturing all kind of Automobile Hand Tools and exporting to almost all countries in the world . We have latest equipments with modern CNC machines and latest testing equipments .


At EURO FORGE, the most important part in each stage of production is assurance of quality. The production of the tools is done according to ISO 9001:2015 quality standard . Our company has dedicated team of professionals in all fields of manufacturing and quality as per customers specifications .

Our tools combine a broad range of properties that makes them practical and adaptable . As long as suitable tools is chosen EURO FORGE tools are efficient and safe. EURO FORGE strategy is simple. We offer more value to our customers through a more efficient delivery mechanism . To achieve this we develop a seamless partnership with our clients suppliers yeilding greater productivity . EURO FORGE will continue with its efforts to maintain level of exellence to build a harmonious and long lasting business relationship with its customers .

Certifications









INFRASTRUCTURE AND MACHINERY





PARTICIPATION IN INTERNATIONAL EVENTS



TRAINING & TESTING LAB





WHEEL NUT

WRENCHES


THE PROFESSIONAL AUTOMOBILE HANDTOOLS Co.

HEAVY DUTY WHEEL NUT WRENCHES

CODE-EF 100

- ▶ Torque as per DIN 899
- ▶ Made from High Grade Carbon Steel/ CRV Steel
- ▶ Fully Hardened / Sockets Hardened
- ▶ Available In Chrome Plated/ Zinc Plated / Black Finish
- ▶ Made from 22mm/26mm Bar Diameter


SIZE (mm)	SIZE SAE	LENGTH (mm) L	WEIGHT (gms)	PACKING Pcs
19x22	-	400	880	8
22x24	-	315	625	8
24x26	-	250	1500	8
24x27	15/16x1.3/16	250/400	1500/2000	8
27x27	1.1/16x1.1/16	400	2000	8
27x30	1.1/16x1.3/16	400	2000	8
27x32	1.1/16x1.1/4	400	2000	8
27x33	1.1/16x1.5/16	250/400	1500/2000	8
30x30	1.3/16x1.3/16	400	2000	8
30x32	1.3/16x1.1/4	400	2000	8
30x33	1.1/4x1.5/16	400	2000	8
32x32	1.1/4x1.1/4	400	2000	8
32x33	1.1/4x1.5/16	400	2000	8
22sqx38hex	-	400	2200	8
21sqx41hex	-	400	2200	8
32x38	-	500	3000	8
33x36	-	400	2100	8



TOMMY BAR

CODE-EF 101

- ▶ Torque as per DIN 900
- ▶ Made from High Grade Carbon Steel/ CRV Steel
- ▶ Fully Hardened
- ▶ Available in Chrome Plated/ Zinc Plated / Powder Painted




SIZE (mm) (with notching)	LENGTH (mm) L	WEIGHT (gms)
Ø 14	450	520
Ø 18	400	790
Ø 19	400	1000
Ø 20	500	1200
Ø 22	700	2100
Ø 19	630	1330
Ø 22	800	2300

SINGLE ENDED WHEEL SPANNER

CODE-EF 102

- ▶ Torque as per DIN 3112
- ▶ Hot forged made from Chrome Vanadium Steel
- ▶ Fully Hardened
- ▶ Available in Zinc/Nickle Chrome/Black finish




SIZE (mm)	LENGTH (mm) L	WEIGHT (gms)
19	225	360
22	225	360
24	300	765
27	300	780
30	300	850
32	300	850

T-HANDLE SPANNER

CODE-EF 103

- ▶ Torque as per DIN 3112
- ▶ Hot forged made from selected Alloy Steel
- ▶ Fully Hardened
- ▶ Ni. Cr. Plated comes with sliding Tommy Bar as standard

"These T-Handles have Ball Catch on the Sliding Bars so that can be stopped in desired position, thus preventing any accidents."



SIZE	DIAMETER OF SOCKET (mm) D	TOTAL LENGTH (mm) L	LENGTH OF TOMMY BAR (mm) I
6	9.8	215	140
7	11.4	215	140
8	13	235	140
9	14	235	140
10	15.5	260	165
11	16.5	260	165
12	17.5	260	165
13	19.5	260	165
14	21	260	165
15	22	285	200



SIZE (mm)	DIAMETER OF SOCKET (mm) D	TOTAL LENGTH (mm) L	LENGTH OF TOMMY BAR (mm) I
16	23.5	285	200
17	24.5	285	200
18	25.5	285	200
19	26.5	310	200
20	28	310	250
21	29.5	310	250
22	31	310	250
24	34	315	300
37	37	315	300
30	41.5	320	330
32	43.5	320	330


**CROSS WHEEL
WRENCHES**

THE PROFESSIONAL AUTOMOBILE HANDTOOLS Co.

CROSS WHEEL WRENCH/ LUG WRENCH

CODE-EF 104

- ▶ Torque as per DIN 3119
- ▶ ISO 6788
- ▶ Made from High Grade Carbon Steel / CRV Steel
- ▶ Available in Fully Hardened / Socket Hardened
- ▶ Available in Chrome Plated / Zinc Plated / Powder Paint
- ▶ Available with / without Reinforcement Plate
- ▶ Durable Welded Construction
- ▶ Cross design provides extra Leverage and Torque



SIZE (mm)	DIMENSION	WEIGHT (gms)
17x19x21x22 mm	(355 mm) 14"x14 mm (Dia of Rod)	1100 gm
17x19x21x23 mm	(355 mm) 14"x16 mm (Dia of Rod)	1300 gm
17x19x21x1/2 mm	(385 mm) 15.25"x16 mm (Dia of Rod)	1400 gm
17x19x22x1/2 mm	(385 mm) 15.25"x16 mm (Dia of Rod)	1400 gm
17x19x21x22x1/2 mm	(355 mm) 14"x16 mm (Dia of Rod) with adopter.	1600 gm
3/4x11/16x13/16x7/8	(500 mm) 20"x18 mm (Dia of Rod)	1800 gm
3/4x13/16x7/8x17	(355 mm) 14" x 16 mm (Dia of Rod)	1300 gm
3/4x11/16x13/16x7/8	(355 mm) 14" x 16 mm (Dia of Rod)	1300 gm
3/4x11/16x13/16x7/8	(355 mm) 14" x 14 mm (Dia of Rod)	1100 gm

JUMBO CROSS WHEEL SPANNER

CODE-EF 105

- ▶ Torque as per DIN 3119
- ▶ Made from High Grade Carbon Steel / CRV Steel
- ▶ Available in Fully Hardened / Socket Hardened
- ▶ Available in Chrome Plated / Zinc Plated / Powder Painted / Satin Finish
- ▶ Durable Welded Construction
- ▶ Cross design provides extra Leverage and Torque



SIZE (mm)	DIMENSION	WEIGHT (gms)
24X27X30X32	25" {635mm}x20/22 Dia of Rod	4000/4200
24X27X32X3/4	25" {635mm}x20/22 Dia of Rod	4000/4200
27X30X32X33	25" {635mm}x20/22 Dia of Rod	4000/4200
27X30X32X3/4	25" {635mm}x20/22 Dia of Rod	4000/4200
7/8X15/16X1"X1"/16	25" {635mm} 19mm Dia of Rod	3030
22X24X25X27	22" X 19mm Dia of Rod	2500



ANGLE SOCKET

WRENCHES




THE PROFESSIONAL AUTOMOBILE HANDTOOLS Co.

ANGLE SOCKET WRENCHES ELBOW MILLED

CODE-EF 106

- ▶ Elbow Milled Angle Wrenches are manufactured from Chrome Vanadium Steel (31CrV3)
- ▶ Fully Hardened to HRC 38-48
- ▶ Available in Full Polished / Matt Finish / Nicr Plated
- ▶ The sockets are one sided 6 points , Other side 12 points

SIZE (mm)	D1 (mm)	D2 (mm)	D4 (mm)	H1 (mm)	H2 (mm)	H3 (mm)	L (mm)	Wt. (gms)
6x6	13	11	6	8	12	26	105	65
7x7	14	11	6	8	12	26	107	70
8x8	14	12	6	9	13	27	112	80
9x9	14	12	6	9	14	27	120	85
10x10	15.5	14	7	10	14	29	130	105
11x11	16.5	14	7	10	14	32	136	115
12x12	18.5	15	8	10	14	34	145	145
13x13	20	16	9	11	14	36	154	170
14x14	21	16	9	12	16	38	160	185
15x15	22.5	16	9	13	17	40	170	215
16x16	24	17	10	15	19	44	178	240
17x17	25.5	17	10	15	19	47	187	275
18x18	26.5	19	12	16	21	50	195	345
19x19	28	20	13	17	21	50	205	385



Convenient



1. Deep profile grooves and the additional open end to the sockets provide an answer to most problems of accessibility, even with extra-long studs.
2. The angle and through-hole of wrenches are designed to accommodate long threads or a bar for additional torque without affecting tool strength.

SIZE (mm)	D1 (mm)	D2 (mm)	D4 (mm)	H1 (mm)	H2 (mm)	H3 (mm)	L (mm)	Wt. (gms)
20x20	30	22	14	17	22	52	212	490
21x21	32	22	15	18	24	55	225	550
22x22	32	22	15	18	24	55	225	550
23x23	34	24	16	20	28	63	248	715
24x24	35.5	24	16	21	28	65	248	750
25x25	37	26	17	23	32	67	270	795
26x26	38	26	17	24	32	67	270	885
27x27	38	26	18	26	32	68	280	890
28x28	40	28	19	26	36	70	290	920
29x29	41	28	20	27	36	74	300	1120
30x30	42	28	20	27	36	76	310	1220
32x32	45	29	21	28	36	86	330	1470
34x34	47	30	22	30	38	92	340	1620
36x36	50	30	22	32	40	100	355	1755

ANGLE SOCKET WRENCHES WITH HOLE

CODE-EF 107

- ▶ Torque as per DIN 4652 - 899
- ▶ Made from High Grade Carbon Steel / CRV Steel
- ▶ Available In Polished / Matt Finish
- ▶ Finish Chrome Plating / Zinc Plating / Satin Finish
- ▶ Angle and Through Hole Design
- ▶ Deep Recess at One Side and Socket at other
- ▶ Easily Fit Over Protuding Studs



Convenient

1. Deep profile grooves and the additional open end to the sockets provide an answer to most problems of accessibility, even with extra-long studs.
2. The angle and through-hole of wrenches are designed to accommodate long threads or a bar for additional torque without affecting tool strength.

SIZE (mm)	D1 (mm)	D2 (mm)	D4 (mm)	H1 (mm)	H2 (mm)	H3 (mm)	L (mm)	Wt. (gms.)
6x6	13	11	6	8	12	26	105	65
7x7	14	11	6	8	12	26	107	70
8x8	14	12	6	9	13	27	112	80
9x9	14	12	6	9	14	27	120	85
10x10	15.5	14	7	10	14	29	130	105
11x11	16.5	14	7	10	14	32	136	115
12x12	18.5	15	8	10	14	34	145	145
13x13	20	16	9	11	14	36	154	170
14x14	21	16	9	12	16	38	160	185
15x15	22.5	16	9	13	17	40	170	215
16x16	24	17	10	15	19	44	178	240
17x17	25.5	17	10	15	19	47	187	275
18x18	26.5	19	12	16	21	50	195	345
19x19	28	20	13	17	21	50	205	385

SIZE (mm)	D1 (mm)	D2 (mm)	D4 (mm)	H1 (mm)	H2 (mm)	H3 (mm)	L (mm)	Wt. (gms.)
20x20	30	22	14	17	22	52	212	490
21x21	32	22	15	18	24	55	225	550
22x22	32	22	15	18	24	55	225	550
23x23	34	24	16	20	28	63	248	715
24x24	35.5	24	16	21	28	65	248	750
25x25	37	26	17	23	32	67	270	795
26x26	38	26	17	24	32	67	270	885
27x27	38	26	18	26	32	68	280	890
28x28	40	28	19	26	36	70	290	920
29x29	41	28	20	27	36	74	300	1120
30x30	42	28	20	27	36	76	310	1220
32x32	45	29	21	28	36	86	330	1470
34x34	47	30	22	30	38	92	340	1620
36x36	50	30	22	32	40	100	355	1755

L-SHAPE


WRENCHES

THE PROFESSIONAL AUTOMOBILE HANDTOOLS Co.

L-SHAPE SPANNER

CODE-EF 108

- ▶ Torque as per DIN 3119
- ▶ ISO 6788
- ▶ Made from High Grade Carbon Steel / CRV Steel
- ▶ Available in Fully Hardened / Socket Hardened
- ▶ Available in Chrome Plated / Zinc Plated / Powder Painted / Satin Finish
- ▶ Available with or Without Chisel




SIZE - D x L (mm)	WEIGHT (Gms)	PKG. (Pcs.)
14x350	500	40
16x360	570	40
16x420	650	40
16x310	500	40

Sizes available an 17, 19, 21, 22, 24mm

L-SHAPE SPANNER (DUAL SIDE) (CONNECTING ROD)

CODE-EF 109

- ▶ Torque as per DIN 3119
- ▶ Made from High Grade Carbon Steel/CRV Steel
- ▶ Available In Fully Hardened/Socket Hardened
- ▶ Chrome Plated/Zinc Plated/Powder Painted/ Satin Finish
- ▶ Dia of Rod and Length can be as per Customer requirement



SIZE (mm)	D (mm)	d1 (mm)	L (mm)	H (mm)
8	14.3	10	220	82
9	15.4	10	220	82
10	16.5	10	220	82
11	18	10	220	82
12	19.2	13	235	85
13	20.8	13	235	85
14	21.8	13	250	90
15	22.9	13	250	90
16	25	13	250	90
17	26.6	14.5	250	90
18	27.6	14.5	250	90
19	29.1	14.5	250	90

SOLID TUBULAR
SPANNERS

THE PROFESSIONAL AUTOMOBILE HANDTOOLS Co.

SOLID TUBULAR BOX SPANNER

CODE-EF 110

- ▶ Torque as per DIN 896 Form A ISO 2236 ISO 1085
- ▶ Made from CRV Steel
- ▶ Available in Polished / Matt Finish
- ▶ Finish Chrome Plating / Satin Finish
- ▶ With Hexagonal Shaft
- ▶ With Hollow Centre Permits Access to the nuts fitted with Long Bolts
- ▶ Holes Provided on Shaft to Drive the Wrench with Tommy Bar
- ▶ Fully Hardened

These are from Hexagonal shaft holes for turning either with a spanner or Tommy Bar. The Hollow centre permits access to the nuts fitted with long bolts.



SIZE (mm)	D-1 (mm)	D-2 (mm)	LENGTH (mm)	SW (mm)	WT. (gms.)
6X7	10	11	105	8	32
8X9	12.5	13.5	110	9	50
10X11	15	16	120	11	65
12X13	17.5	19	140	13	125
14X15	20	21.5	145	14	155
16X17	22.5	24	155	16	200
18X19	25.5	27	165	18	300
20X22	28	30	175	19	320
22X24	29	32.5	185	22	450
21X23	29	31	185	21	450
24X26	32.5	36.5	195	24	530
24X27	32.5	36.5	195	24	530
25X28	34	37	205	25	540
27X29	36	39	205	25	540
27X30	36	42	205	25	620
30X32	42	44.5	210	30	870

TOMMY BARS
6-22 mm
24-32 mm
SIZE
Dia of Rod 10x190 mm
Dia of Rod 11.8x210 mm



TUBULAR BOX SPANNERS

THE PROFESSIONAL AUTOMOBILE HANDTOOLS Co.


TUBULAR BOX SPANNER

CODE-EF 111

- ▶ Torque as per DIN 896 Form B ISO 2236 ISO 1085
- ▶ Made from ERW Tubes
- ▶ Available In Zinc Plated / Chrome Plating / Satin Finish
- ▶ Hexagon opening with Flared end
- ▶ Hardened / Unhardened as per requirement

Hexagonal openings with flared ends to facilitate access to the fasteners. These light though versatile tools are used with Tommy Bars fitted in the transverse holes.

AVAILABLE IN CARBON STEEL TUBE



SIZE (mm)	D2 (mm)	d (mm)	LENGTH (mm)	WT. (gms.)	PKG. (Pcs.)
6X7	11	6.3	110	40	500
8X9	11	6.3	110	47	500
8X10	12.7	6.3	120	50	500
10X11	14	6.3	120	80	400
10X12	16	8.5	140	80	400
12X13	16	8.5	140	100	250
14X15	16	8.5	140	105	200
16X17	19	10.5	150	125	100
17X19	22.3	12.5	160	185	100
18X19	22.3	12.5	160	185	100
20X22	25.4	12.5	170	225	60
21X23	25.4	14.5	170	225	60
24X27	31.75	14.5	190	340	40
25X28	31.75	16.5	200	340	40
30X32	31.75	16.5	200	400	40
32x36	37.78	18.5	215	500	20
36x41	42	18.5	220	800	20
46x50	54	21	240	1000	20

GRADUATED TOMMY BARS

10x190 with steps of 5 mm & 8 mm

TOMMY BARS

12x250 mm & 14x300 mm



SPARK SPANNER

SPARK PLUG

THE PROFESSIONAL AUTOMOBILE HANDTOOLS Co.

SPARK PLUG SPANNER

CODE-EF 112

- ▶ Made from ERW Tubes
- ▶ Working part are equipped with rubber inserts
- ▶ Tommy Bar made of Carbon Steel with or without Steps
- ▶ Graduated Tommy Bar 10x190 mm with Steps of 5 mm, 8 mm & 10 mm
- ▶ Tommy Bar 12x250 mm & 14x300 mm

SIZE (mm)	WEIGHT (gsm)	PKG. (Pcs.)
16x160	105	160
16x280	185	100
21x160	125	160
21x280	220	100

- ▶ Glow Spark Plug Spanner Made of Selected Steel, Zinc Plated or NI-CR Plated as per Requirement


Size Available : 16 mm, 21mm, 17mm, 19mm



SPARK PLUG WITH SWIVEL HANDLE

CODE-FF 113

- ▶ Made up of hot stamping (forging)
- ▶ Handles with a polymer coating that prevents slippage of the palm
- ▶ Working part are equipped with rubber inserts
- ▶ Protective against corrosion with chrome plating
- ▶ Available in Matt Finish | Full Polish finish




A (mm)	LENGTH (mm)	PKG. (pcs)
16	250	80
16	500	40
21	250	80
21	500	40



HEAVY DUTY TUBULAR BOX SPANNER

CODE-EF 114

- ▶ Made from heavy duty ERW pipe
- ▶ Finish with Chrome plating / Zinc plating
- ▶ With heavy duty ERW Pipe




S (mm)	L (mm)	D (mm) Pipe	d (mm)	PKG. (Pcs.)
36 HEX	90	43	21.5	100
50 OCTAGONAL	90	60	21.5	60
55 OCTAGONAL	90	60	21.5	60
55 WELDED HEX	90	60	21.5	50
65 HEX	90	75	21.5	40
82 OCTAGONAL	90	89	21.5	20
86 OCTAGONAL	130	89	21.5	24
95 HEX	130	89	21.5	20
102 OCTAGONAL	130	100	21.5	20
104 OCTAGONAL	130	100	21.5	20
110 OCTAGONAL	130	114	21.5	20
115 OCTAGONAL	130	114	21.5	20
120 HEX	130	114	21.5	20
120 OCTAGONAL	130	114	21.5	20
140 OCTAGONAL	130	140	21.5	20
140 HEX	130	140	21.5	20
75	130	75	21.5	20
80	90	75	21.5	20
85	130	89	21.5	24

L-HANDLE CODE-EF 115

- ▶ Made from High Grade Carbon Steel / CRV Steel
- ▶ Fully Hardened
- ▶ Chrome Plated / Zinc Plated / Black Finish
- ▶ Available in full polish / Matt Finish




SIZE SQUARE DRIVE (mm)	L (mm)	H (mm)	d (mm)
1/4"	150	30	10
3/8"	200	50	13
1/2"	250	50	16
1/2"	300	75	16
1/2"	375	100	16
3/4"	300	100	26
3/4"	450	150	26



SLIDING T-BAR CODE-EF 116


- ▶ Made from High Grade Carbon Steel / CRV Steel
- ▶ Fully Hardened
- ▶ Available in Chrome Plated / Zinc Plated / Black Finish
- ▶ Protected against corrosion by chrome plating with matt surface effect
- ▶ Equipped with a spring - loaded retaining ball



SIZE (Inch)	d (mm)	LENGTH (mm) L
1/4"	10mm	115
3/8"	12mm	150
1/2"	16mm	250
1/2"	16mm	300
3/4"	19mm	525

SLIDING T-BAR DUAL TYPE CODE-EF 117

- ▶ Made from High Grade Carbon Steel / CRV Steel
- ▶ Fully Hardened
- ▶ Available in Chrome Plated / Zinc Plated / Black Finish
- ▶ Protected against corrosion by chrome plating with matt surface effect
- ▶ Available with Two connecting quads




SIZE (Inch)	d (mm)	LENGTH (mm) L
1/2"-3/4"	19mm	450

EXTENSION BAR

CODE-EF 118

- ▶ Made from Carbon Steel / Chrome Vanadium Steel
- ▶ Available in Chrome Plated / Zinc Plated / Satin Finish
- ▶ It is provided with 1/2", 3/4", 1" Square Drive



SIZE 1/2"		SIZE 3/4"		SIZE 1"	
d=16mm		d=19mm		d=25mm	
Size	L (mm)	Size	L (mm)	Size	L (mm)
3"	75	5"	125	6"	150
5"	125	8x1/2"	210	8"	200
10"	250	17"	425	16"	400




SOCKET WITH HOLE

CODE-EF 119

- ▶ Made from High Grade Carbon Steel / CRV Steel
- ▶ Fully Hardened
- ▶ Hot Forged
- ▶ Available in Chrome Plated / Zinc Plated / Satin Finish

A SIZE (mm)	TOTAL LENGTH (mm) L	SOCKET LENGTH (mm) A	d (mm)
17	60	30	21
19	60	30	21
22	60	30	21
24	60	30	21
27	60	30	21
30	70	35	21
32	70	35	21
33	70	35	21
34	70	35	21
36	80	45	21
38	80	45	21
41	80	45	21
46	90	50	21
50	90	50	21
55	90	50	21
57	95	55	21
60	95	55	21
65	95	55	21
70	100	60	21
75	105	60	21
80	105	60	21




SOCKET WITH SQUARE DRIVE

CODE-EF 120

- ▶ Made from CRV Steel
- ▶ Fully Hardened
- ▶ Made by hot stamping (forging Press)
- ▶ 12 sided working profile
- ▶ Protected against corrosion by Chrome plating/black Phosphate


DRIVE (mm)	A (mm)	L (mm)	PACKING (pcs)
1/2	19	60	10
1/2	22	60	10
3/4	24	60	10
3/4	27	60	10
3/4	30	60	10
3/4	32	60	10
3/4	34	60	10
3/4	36	60	10
3/4	38	60	10
3/4	41	60	10
3/4	43	60	10
3/4	46	70	10
3/4	50	70	10
3/4	55	70	10
3/4	60	80	10
3/4	65	80	10
3/4	70	80	10
3/4	75	80	10
3/4	80	80	10



SOCKET ADAPTER

CODE-EF 121

- ▶ Made from CRV Steel
- ▶ Made by Hot Stamping (forging Press)
- ▶ Protected against corrosion by Matt effect chrome plating surfaces



A (mm)	B (mm)	Packing (pcs)
3/8"	1/4"	10
3/8"	1/2"	10
1/2"	3/8"	10
3/4"	1/2"	10
3/4"	1"	10
1"	3/4"	10



TYRE LEVER

CODE-EF 122

- ▶ Manufactured from special Alloy Steel both in round and flat
- ▶ Hot Forged , Hardened and Tempered
- ▶ Ni Cr. / Zinc Plated

Flat Tyre Lever has a double T section profile for ultimate resistance.




SIZE (mm)	L (mm)	W (mm)	T (mm)
12"	300	19	6
16"	400	25	9
20"	500	25	9
24"	600	30	11
30"	800	30	11
32"	750	30	11



TELESCOPIC L SHAPED WRENCHES

CODE-EF 123

- ▶ Manufactured from Chrome Vanadium Steel
- ▶ Hot Forging
- ▶ Sockets with standard Hexagonal working profile
- ▶ Variable key arm length from 360 mm to 530 mm
- ▶ Equipped with a ribbed grip to reduce pressure and prevent slippage
- ▶ Protected against corrosion with nickel-chromium plating
- ▶ 1/2 Square Drive



SIZE (mm)	L (mm)	L1 (mm)	PACKING (pcs)
17x19	360	530	(18/6)
21x22	360	530	(18/6)



SPRING PULLER

CODE-EF 124

- ▶ Made of selected steel
- ▶ Comes in sizes 210, 230, 260, 290, 330 Length
- ▶ Comes in Solid Sheet clamps in yellow zinc plated or in 19 mm Square clamps in Black Phosphated finish
- ▶ Made out of quality steel having bolt dia of 14 mm and hexagonal centre portion of 17 mm to fit a spanner opening of the same size

- ▶ Hooks are made by milling
- ▶ Zinc Coating
- ▶ Supplied in pairs

DRIVE (mm)	A (mm)	L (mm)	PACKING (pcs)
210	14	210	20 SET
230	14	230	20 SET
260	14	260	20 SET
330	14	330	20 SET

- ▶ Having double threaded stamped hooks.
- ▶ Trapezoidal power working thread is applied by knurling
- ▶ Supplied in pairs



DRIVE (mm)	A (mm)	L (mm)	PACKING (pcs)
230	16	230	20 SET
260	16	260	20 SET
290	16	290	20 SET



GREASE GUN

CODE-EF 125

- ▶ Available in Zinc Coating / Chrome Plated / Powder Coated
 - ▶ Available with fixed or flexible spout
 - ▶ Equipped with a metal tube and a four lobed tip
 - ▶ Cast iron plunger pair used to provides the high operating pressure at the outlet and increased durability.
- This allows the use of Grease Gun in cases of severe clogging of grease fittings.

CAPACITY (gms)	CAPACITY (oz)	PACKING (Pcs.)
112	4	40
225	8	25
280	10	25
420	15	20
560	20	15



PUMP OILER (PERFETTO TYPE)

CODE-EF 126


- ▶ Thumb lever action
- ▶ Steel or Brass Pump
- ▶ Available with fixed or flexible spout

SIZE (lbs)	SIZE (kg)	PACKING (Pcs.)
200	(1/2)	100
300	(3/4)	100
500	1	100
700	1.5	100
1000	2	100

PUMP OILER (RIGID TYPE)

CODE-EF 127

- ▶ Thumb lever action
- ▶ Steel or Brass Pump
- ▶ Available with fixed or flexible spout

SIZE (lbs)	PACKING (Pcs.)
125	100
250	100
375	100
500	100



SUCTION GUN

CODE-EF 128

- ▶ Used to filling and pumping out of liquid greasing
- ▶ Supplied with a flexible hose , except for the 1000 ml , which is equipped with a steel tube and flexible hose .
- ▶ Supplied in individual cardboard boxes

VOLUME (ml)	WEIGHT (kg)	PACKING (pcs)
1000	1.35	20/1
500	0.65	20/1
200	0.34	50/1



OIL FILTER WRENCHS

CODE-EF 129

- ▶ Used to open Air Filter in automobile Machines
- ▶ Zinc Plated
- ▶ Made of Sheet Metal
- ▶ High Quality of Chain is used

SIZE (inch)	WEIGHT (mm)	WEIGHT (gsm)	PACKING (pcs)
10	430	300	80



- ▶ Used to remove oil filters of internal combustion engines when changing oil
- ▶ Rubber coated key handles for ease of use
- ▶ Supplied in individual packing

SIZE (mm)	PACKING (pcs)
71-79	72/12
89/98	72/12

- ▶ Used to remove oil filters of internal combustion engines when changing oil
- ▶ Applicable for removing filters with outer diameter (65-110 mm)

SIZE (mm)	PACKING (pcs)
65-110	144/12

BABY VICE CLAMP TYPE AND SWIVEL BASE

CODE-EF 130

- ▶ Made of High Grade Cast Iron Steel
- ▶ Powder Painted
- ▶ Spindle and Shaft Chrome Plated

SIZE (mm)	INCHES (Inch)	PACKING (Pcs.)	WEIGHT (gms)
40	1.1/2	20	435
50	2	20	600
60	2.1/2	20	700
70	3	20	725



JACK PLANE

CODE-EF 131


Jack plane is general purpose smoothing plane used for general smoothing of edges, sizing of wood. It is made of cast iron body and high carbon steel blade. It is available with plastic and wooden handle.

SIZE (Inches)	LENGTH (mm)	WEIGHT (kg)	PACKING (Pcs)
8	200	21	16
9	225	22.3	16
14	350	18.3	10
18	450	18.3	5

BLOCK PLANE

CODE-EF 132

It is made of cast iron body and high carbon steel blade.

- Used for General purpose Smoothing plane & edges of wooden planks

SIZE (inch)	LENGTH (mm)	WEIGHT (gms)	PACKING (Pcs)
5.5	140	420	40
6	150	480	40
7	175	620	30



WATER PUMP PLIER GROOVE JOINT

CODE-EF 133

- ▶ Drop Forged Made From Carbon steel/ Chrome Vanadium steel
- ▶ Available in Chrome Plated matt Finish/ polished Head
- ▶ Jaws Hardened
- ▶ Available With or without Insulation

SIZES (Inches)	LENGTH (mm)	WEIGHT (gms)	PACKING (pcs)
8"	200	300	100
10"	250	350	60
12"	300	570	40



TOP CUTTER

CODE-EF 134



- ▶ Drop Forged Made From high grade carbon steel with dip insulation
- ▶ Powder Coated
- ▶ With Hardened Edges

SIZES (Inches)	LENGTH (mm)	WEIGHT (kg.)	PACKING (Pcs)
6"	160	21	100
8"	200	23.5	80
10"	250	22	60

BEARING PULLER

CODE-EF 135

- ▶ Drop Forged Made From Carbon steel/ Chrome Vanadium steel
- ▶ Chrome Plated matt Finish/ polished Head
- ▶ Available in Black Phosphate Screws
- ▶ Available in 2 Legs & 3 Legs

SIZES (Inches)	LENGTH MM	PACKING (Pcs.)	
		2 Leg	3 Leg
3	75	60	60
4	100	60	50
6	150	50	36
8	200	36	20
10	250	20	10
12	300	16	10



TIN CUTTER

CODE-EF 136

- ▶ Drop Forged Made From High Grade Carbon Steel
- ▶ Powder Painted
- ▶ Duly Hardened
- ▶ Available with & without spring

SIZES (Inches)	LENGTH (mm)	WEIGHT (gms.)	PACKING (Pcs.)
8	200	180	100
10	250	260	48
12	300	380	36



PISTON RING COMPRESSOR

CODE-EF 137


- ▶ Manufactured from spring steel
- ▶ they are used to compress piston rings during the repair
- ▶ It is accompanied with L key
- ▶ Have locking Mechanism

D (mm)	H (mm)	PACKING (Pcs.)
50-125	75	40\1
53-175	75	40\1
60-175	100	30\1

5 PC SHOWER WRENCH SET

CODE-EF 138

17X22 MM (21/32X27/32in), 23X25 MM (29/32X31/32in), 26X28 MM (1-1/32X1-3/32in), 29X32 MM (1-5/32X1-9/32in) 34X36 MM (1-11/32X1-7/16in), TOMMY BAR -1PC

A shower wrench is a tool that is explicitly designed to remove the shower valves. The wrench comes in different shapes and sizes, including the hex shape, and many more. It is an ideal tool that is effective in removing and installing nuts on tub and shower faucet stem to allow washer replacement. The wrench is manufactured out of excellent quality steel. It is ideal for removing and installing shower valves. It allows smooth functioning of the shower. This shower wrench comes packed with a number of great features which include:

1. It is available in different sizes and shapes and will thus provide for a specific and accurate fit for your shower.
2. It is built to last as it uses good quality raw material which provides it with immense strength and durability.
3. It features a zinc coated finishing which adds a layer of protection to the wrench and also gives it a smooth finishing.
4. It comes packed in a pack of 5 with a tommy bar to operate it



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



Waryana Industrial Complex
Kapurthala Road, Jalandhar
(Punjab) India 144021



+91-98148 34875



amit@euroforge.co.in,
amitgoswami576@gmail.com,
skype-amitgoswami2



www.euroforge.co.in